



The Chemical Company

# Safety data sheet

Page: 1/6

BASF Safety data sheet according to 91/155/EEC

Date / Revised: 2008/01/02

Product: GLENIUM 3000NS

Version: 1.0

(30367833/MDS\_GEN\_US/EN)

Date of print 02.11.2009

## 1. Substance/preparation and company identification

### GLENIUM 3000NS

**Use:** Product for construction chemicals

**Company:**

BASF Construction Chemicals, LLC

100 Campus Drive

Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Telefax number: +1 973 245-6839

E-mail address: prod\_reg@basf.com

**Emergency information:**

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP

## 2. HAZARDOUS INGREDIENTS

Does not contain hazardous chemicals as defined by 29 CFR 1910.1200 and WHMIS.

## 3. HAZARDS IDENTIFICATION

HMIS® Rating	HEALTH	FLAMMABILITY	PHYSICAL HAZARD
	1	0	0
WHMIS Class	: D2B		
Primary Routes of Entry	: Inhalation Eye contact		

BASF Safety data sheet according to 91/155/EEC  
Date / Revised: 2008/01/02  
Product: GLENIUM 3000NS

Version: 1.0

(30367833/MDS\_GEN\_US/EN)

Date of print 02.11.2009

---

**Skin contact****Effects of Overexposure**

Inhalation	:	Can cause slight irritation.
Skin	:	Can cause slight irritation.
Eyes	:	Can cause slight irritation.
Ingestion	:	Can cause slight irritation.
Chronic exposure	:	No known information available.

---

**4. FIRST AID MEASURES**

---

Eye contact	:	Flush eyes with water, lifting upper and lower lids occasionally for 15 minutes. Seek medical attention.
Skin contact	:	Remove contaminated clothing. Wash thoroughly with soap and water. If irritation persists seek medical attention. Wash contaminated clothing before reuse.
Ingestion	:	Do not induce vomiting without medical advice. If conscious, drink plenty of water. If a person feels unwell or symptoms of skin irritation appear, consult a physician. If a person vomits, place him/her in the recovery position. Never give anything by mouth to an unconscious person.
Inhalation	:	Remove victim from exposure. If difficulty with breathing, administer oxygen. If breathing has stopped administer artificial respiration, preferably mouth-to-mouth. Seek immediate medical attention.

---

**5. FIRE-FIGHTING MEASURES**

---

Flash point	:	does not flash
Autoignition temperature	:	Not combustible.
Lower explosion limit	:	not applicable
Upper explosion limit	:	not applicable
Suitable extinguishing media	:	Use extinguishing agent suitable for type of surrounding fire. Keep containers and surroundings cool with water spray. Carbon dioxide, foam, dry chemical & water fog.
Fire and Explosion Hazards	:	Containers can build up pressure if exposed to heat (fire). Cool closed containers exposed to fire with water spray.
Special Fire-fighting Procedures	:	As in any fire, wear pressure demand self-contained breathing apparatus (NIOSH approved or equivalent) and full protective gear.

---

**6. ACCIDENTAL RELEASE MEASURES**

---

Methods for cleaning up	:	Wear appropriate protective equipment (refer to section 8). Take action to
-------------------------	---	--

BASF Safety data sheet according to 91/155/EEC  
Date / Revised: 2008/01/02  
Product: GLENIUM 3000NS

Version: 1.0

(30367833/MDS\_GEN\_US/EN)

Date of print 02.11.2009

eliminate source of leak; prevent from entry into open streams or sewers; contain spill by diking; vacuum up liquid or use absorbent media; remove to storage for disposal and rinse residual stain with water.

---

## 7. HANDLING AND STORAGE

---

Storage : Keep tightly closed.

---

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

---

Eye protection	: Wear as appropriate: safety glasses with side-shields goggles face-shield
Hand protection	: Wear as appropriate: impervious gloves
Body Protection	: Wear as appropriate: impervious clothing preventive skin protection
Respiratory protection	: In case of insufficient ventilation wear suitable respiratory equipment. When workers are facing concentrations above the exposure limit they must use NIOSH approved respirators.
Hygienic Practices	: Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas. Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke. Handle in accordance with good industrial hygiene and safety practice.
Engineering Controls	: Local exhaust ventilation can be necessary to control any air contaminants to within their TLVs during the use of this product.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

Color	: dark amber
Physical State	: liquid
Odor	: slight
pH	: ca.6.5
Odor Threshold	: no data available
Vapor Pressure	: no data available
Vapor Density	: Heavier than air
Boiling point/range	: 212 °F (100 °C)
Freeze Point	: 21 °F (-6 °C)
Water solubility	: completely soluble

BASF Safety data sheet according to 91/155/EEC  
Date / Revised: 2008/01/02  
Product: GLENIUM 3000NS

Version: 1.0

(30367833/MDS\_GEN\_US/EN)

Date of print 02.11.2009

Specific Gravity : 1.08  
Viscosity : no data available  
Evaporation rate : no data available  
Partition coefficient (n-octanol/water) : no data available  
VOC Concentration as applied (less water and exempt solvents) : 0 g/l

## 10. STABILITY AND REACTIVITY

Stability : Stable under recommended storage conditions.  
Conditions to avoid : Prolonged exposure to high temperatures  
Materials to avoid : strong oxidizing agents  
Hazardous decomposition products : Oxides of carbon.  
Oxides of sulfur  
nitrogen oxides (NOx)  
Hazardous polymerization : Will not occur under normal conditions.

## 11. TOXICOLOGICAL INFORMATION

Acute inhalation toxicity	Type	Value	Species	Exposure time
<u>Product</u>	LC50	no data available		

  

Acute oral toxicity	Type	Value	Species
<u>Product</u>	LD50 (Oral)	no data available	

  

Acute dermal toxicity	Type	Value	Species
<u>Product</u>	LD50 (Dermal)	no data available	

## 12. ECOLOGICAL INFORMATION

BASF Safety data sheet according to 91/155/EEC  
Date / Revised: 2008/01/02  
Product: GLENIUM 3000NS

Version: 1.0

(30367833/MDS\_GEN\_US/EN)

Date of print 02.11.2009

Ecotoxicological Information : There is no data available for this product.

---

### 13. DISPOSAL CONSIDERATIONS

---

Recommendations: Use excess product in an alternate beneficial application. Handle disposal of waste material in manner which complies with local, state, province and federal regulation.

---

### 14. TRANSPORT INFORMATION

---

DOT	: Proper shipping name	Not regulated
IATA	: Proper shipping name	Not regulated

---

### 15. REGULATORY INFORMATION

---

#### SARA 311/312 (RTK)

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendments and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

not applicable

#### SARA 313

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

This product contains no chemicals subject to the SARA 313 supplier notification requirements.

#### CERCLA

CERCLA section 103(a) specifically requires the person in charge of a vessel or facility to report immediately to the National Response Center (NRC) a release of a hazardous substance whose amount equals or exceeds the assigned RQ. The following hazardous substances are contained in this product.

<u>RQ</u>	<u>CAS No.</u>	<u>Chemical Name</u>
-----------	----------------	----------------------

No CERCLA chemicals exist in this product above reportable concentrations.

#### TSCA Section 12(b) Export Notification

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(b) if exported from the United States:

<u>CAS No.</u>	<u>Chemical Name</u>
----------------	----------------------

There are no TSCA 12(b) Chemicals in this product.

#### California Proposition 65

The chemical(s) noted below and contained in this product, are known to the state of California to cause cancer, birth defects or other reproductive harm. Unless otherwise specified in Section 2 of this MSDS, these chemicals are present at < 0.1%:

---

BASF Safety data sheet according to 91/155/EEC

Date / Revised: 2008/01/02

Product: GLENIUM 3000NS

Version: 1.0

(30367833/MDS\_GEN\_US/EN)

Date of print 02.11.2009

---

CAS No.Chemical Name

There are no Proposition 65 chemicals known to exist in this product.

---

## 16. OTHER INFORMATION

---

Legend

: N.E. - Not Established  
TLV - Threshold Limit Value  
STEL - Short Term Exposure Limit  
PEL - Permissible Exposure Limit  
CEIL - Ceiling

Prepared By

: Environment, Health and Safety Department

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.